

EXHIBIT "A"

5406499






FIG. 1

1072
5 Figs.






FIG. 3

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

APPLICANT: MICHAEL E. TOMPKINS §
SERIAL NO.: 08/162,402 §
FILED: DECEMBER 3, 1993 §
FOR: SPA CONTROL SYSTEM §

GROUP ART UNIT: 2314

EXAMINER: R.E. RAMIREZ
BATCH NO.: B54

DRAWING AMENDMENT "B"

Commissioner of Patents & Trademarks
Washington, D.C. 20231

Date: August 26, 1994
Docket No: 86-1198-06

Sir:


It has come to Applicant's attention that Applicant may have inadvertently failed to transmit the formal drawing for Figure 5 for the above-referenced Application, although, Applicant knows Figures 1-4 were submitted. Subject to the approval of the Examiner, please substitute the drawing of Figure 5 enclosed for the informal drawing Figure 5 prepared in this case. This Drawing Amendment "B" is in response to the Notice of Allowance dated June 10, 1994.

Fees with regard to the enclosed Figure 5 for the approved drawing substitute and any comparison fee and any late charges or changes for extension of time are to be charged to Deposit Account of 15-0697 of David Ostfeld, P.C.

Respectfully submitted,

CHAMBERLAIN, HRDLICKA, WHITE,
WILLIAMS & MARTIN

By


David M. Ostfeld
Reg. No. 27,827
1400 Citicorp Center
1200 Smith Street
Houston, Texas 77002
Phone: 713/658-1818
Facs: 713/658-2550

Attorney for Applicant

EXHIBIT "B"




FIG. 1




FIG. 2




FIG. 4




FIG. 3

EXHIBIT "C"




FIG. 5